

## **BLANK PAGE**



## भारतीय मानक

## चूड़ी काटने के लिए समानान्तर शैंकयुक्त मिलिंग कटर — विशिष्टि

( पहला पुनरीक्षण )

# Indian Standard THREAD MILLING CUTTER WITH PARALLEL SHANK — SPECIFICATION

(First Revision)

UDC 621-914-2

**® BIS** 1992

BUREAU OF INDIAN S MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002 Milling Cutters, Saws, Gear Cutting Tool and Broaches Sectional Committee, PE 11

#### **FOREWORD**

This Indian Standard was adopted by the Bureau of Indian Standards, after the draft finalized by the Milling Cutters, Saws, Gear Cutting Tool and Broaches Sectional Committee had been approved by the Production Engineering Division Council.

This standard was first published in 1971. This is one of the series of standards published on milling cutters superseding IS 1831: 1961 'Dimensions for milling cutters' (withdrawn). Subsequent upon revision of IS 4218 'ISO metric screw threads' and changes in manufacturing practices in Indian Industry, this standard has been revised.

## AMENDMENT NO. 1 FEBRUARY 1995 TO IS 6550: 1992 THREAD MILLING CUTTERS WITH PARALLEL SHANK — SPECIFICATION

(First Revision)

(Page 2, Table 1, fourth column) - Substitute 'l1' for 'L1'.

(PE 11)

Reprography Unit, BIS, New Dethi, India

#### Indian Standard

### THREAD MILLING CUTTER WITH PARALLEL SHANK — SPECIFICATION

## (First Revision)

#### 1 SCOPE

This Standard covers dimensions and other requirements for thread milling cutter with parallel shank suitable for ISO metric screw threads with coarse and fine pitches in the range of 0.75 mm to 2.5 mm according to IS 4218 (Part 2) 1976 ISO metric screw threads Part 2 Diameter pitch combinations (first revision)

#### 2 REFERENCES

The following Indian Standards are necessary adjuncts to this standard

IS No. Title

IS 1830 · 1982 Technical supply conditions

> for milling cutters (second revision)

IS 7778: 1975 Methods for sampling small

tools

#### 3 TERMINOLOGY

For the purpose of this standard, the definitions given in IS 1830 1982 shall apply

#### 4 DIMENSIONS

The dimensions of thread milling cutter, with parallel shank shall be as given in Table 1.

#### 5 MATERIAL AND HARDNESS

Material and hardness of thread milling cutters

with parallel shank shall be in accordance with IS 1830 1982

#### **6 GENERAL REQUIREMENTS**

- 6.1 Unless otherwise specified the milling cutters shall be of right hand cutting with straight flutes.
- 6 2 For requirements not covered in this standard reference shall be made to IS 1830 1982

#### 7 DESIGNATION

A thread milling cutter with parallel shank of diameter (D) 10 mm and nominal length (1) 16 mm for thread with pitch (P) 1.5 mm of tool type H and for right hand cutting shall be designated

Thread Milling Cutter Parallel Shank-IS 6550,  $16 \times 1.5 H$ 

#### 8 SAMPLING

The sampling and criteria of acceptance shall be according to IS 7778 1975.

#### 9 MARKING

Each thread milling cutter shall be marked according to IS 1830: 1982.

#### 10 PRESERVATIVE COATING AND PACKAGING

Preservative coating and packaging of each thread milling cutter shall be done in accordance with IS 1830 · 1982.

Table 1 Dimensions of Thread Milling Cutters with Paralled Shank ( Clause 4 )

All dimensions in millimetres. Фф <u>ስብሳሳሳሳሳሳሳሳሳሳሳ</u> øD L **D** J\$16 Pitch P Tool Type **d** h8  $\frac{L}{+0.2}$  $L_1$ Nominal 0 75 1.25 0 75 1·25 0 75 i·25 0.75 н 1·25 1·5 1·75 1.5 1.5 1·5 2 2·5 1·5 2 2·5 

#### Standard Mark

The use of the Standard Mark is governed by the provisions of the Bureau of Indian Standards Act, 1986 and the Rules and Regulations made thereunder. The Standard Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well defined system of inspection, testing and quality control which is devised and supervised by BIS and operated by the producer. Standard marked products are also continuously checked by BIS for conformity to that standard as a further safeguard. Details of conditions under which a licence for the use of the Standard Mark may be granted to manufacturers or producers may be obtained from the Burcau of Indian Standards

#### Bureau of Indian Standards

BIS is a statutory institution established under the Bureau of Indian Standards Act, 1986 to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

#### Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Director (Publications), BIS.

#### Revision of Indian Standards

Indian Standards are reviewed periodically and revised, when necessary and amendments, if any, are issued from time to time. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition. Comments on this Indian Standard may be sent to BIS giving the following reference:

Doc: No. PED 11 (5045)

#### Amendments Issued Since Publication

Amend No.	Date of Issue	Text Affected

#### **BUREAU OF INDIAN STANDARDS**

#### Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002 Telephones: 331 01 31, 331 13 75	Telegrams: Manaksanstha (Common to all Offices)
Regional Offices:	Telephone
Central: Manak Bhavan, 9 Bahadur Shah Zafar Marg NEW DELHI 110002	{331 01 31 331 13 75
Eastern: 1/14 C. I. T. Scheme VII M, V. I. P. Road, Maniktola CALCUTTA 700054	{37 84 99, 37 85 61 37 86 26, 37 86 62
Northern: SCO 445-446, Sector 35-C, CHANDIGARH 160036	<b>{53</b> 38 43, 53 16 40 53 23 84
Southern: C. I. T. Campus, IV Cross Road, MADRAS 600113	{235 02 16, 235 04 42 235 15 19, 235 23 15
Western: Manakalaya, E9 MIDC, Marol, Andheri (East) BOMBAY 400093	<b>{632 92 95, 632 78 58 632 78 91, 632 78 92</b>

Branches: AHMADABAD. BANGALORE. BHOPAL. BHUBANESHWAR. COIMBATORE. FARIDABAD. GHAZIABAD. GUWAHATI. HYDERABAD. JAIPUR. KANPUR. LUCKNOW. PATNA. THIRUVANANTHAPURAM.